ELSEVIER

Molecular Brain Research 47 (1997) 351–353

MOLECULAR BRAIN RESEARCH

# Author Index

Angeletti, S., see Pompei, P. (47) 78
Arilla, E., see Izquierdo-Claros, R.M. (47) 99
Arilla, E., see Muñoz-Acedo, G. (47) 117
Asaba, K., see Makino, S. (47) 170

Bain, D., see Ebert, S.N. (47) 24
Bengoechea, T.G., see Ebert, S.N. (47) 24
Beyreuther, K., see Czech, C. (47) 108
Boyano-Adánez, M.C., see Izquierdo-Claros, R.M. (47) 99
Bresler, M., see Mimmack, M.L. (47) 345
Burbach, J.P.H., see Corness, J.D. (47) 11

Chao, H.M., see Salim, K.N. (47) 177
Chesselet, M.F., see Lee, S. (47) 183
Christakos, S., see Lee, S. (47) 183
Chuang, D.-M., see Xing, G. (47) 251
Ciccocioppo, R., see Pompei, P. (47) 78
Cini, D., see Marracci, S. (47) 67
Clemens, J., see Sankaran, B. (47) 237
Corness, J.D., Burbach, J.P.H. and Hökfelt, T.
The rat galanin-gene promoter: response to members of the nuclear hormone receptor family, phorbol ester and forskolin (47) 11
Czech, C., Delaère, P., Macq, A.F., Reibaud, M., Dreisler, S., Touchet, N., Schombert, B., Mazadier, M., Mercken, L., Theisen, M., Pradier, L., Octave, J.-N., Beyreuther, K. and Tremp, G.
Proteolytical processing of mutated human amyloid precursor protein in transgenic mice (47) 108

Danielsen, N., see Mulder, H. (47) 322
Davies, S.W., see Hollen, K.M. (47) 31
De Caro, G., see Pompei, P. (47) 78
Delaère, P., see Czech, C. (47) 108
Detera-Wadleigh, S., see Xing, G. (47) 251
Dreisler, S., see Czech, C. (47) 108
Dziewczapolski, G., see Salin, P. (47) 311

Ebert, S.N., Lindley, S.E., Bengoechea, T.G., Bain, D. and Wong, D.L.
Adrenergic differentiation potential in PC12 cells: influence of sodium butyrate and dexamethasone (47) 24
Emson, P.C., see Mimmack, M.L. (47) 345
Evans, G., see Mimmack, M.L. (47) 345

Feldman, A.N., see Xing, G. (47) 251
Freese, E., see Kedar, V. (47) 87
Fukushima, J., see Kawamoto, S. (47) 339

Gage, F.H., see Schinstine, M. (47) 195
Garcia-Guzman, M., Stühmer, W. and Soto, F.
Molecular characterization and pharmacological properties of the human $P2X_3$ purinoceptor (47) 59
Gershanik, O.S., see Salin, P. (47) 311
Guidotti, G., see Wang, T.-F. (47) 295
Gustavsson, L., see Izquierdo-Claros, R.M. (47) 99

Haley, B.E., see Sankaran, B. (47) 237
Hamajima, K., see Kawamoto, S. (47) 339
Hamel, C.P., see Soto-Prior, A. (47) 1
Handa, R.J., see Li, Y. (47) 215
Hashimoto, K., see Makino, S. (47) 170
Hattori, S., see Kawamoto, S. (47) 339
Hattori, Y., Miyake, A., Mikami, T., Ohta, M. and Itoh, N.
Transient expression of FGF-5 mRNA in the rat cerebellar cortex during post-natal development (47) 262
Hattori, Y., Yamasaki, M., Konishi, M. and Itoh, N.
Spatially restricted expression of fibroblast growth factor-10 mRNA in the rat brain (47) 139
Healy, D.J. and Meador-Woodruff, J.H.
Clozapine and haloperidol differentially affect AMPA and kainate receptor subunit mRNA levels in rat cortex and striatum (47) 331
Hebb, M.O. and Robertson, H.A.
End-capped antisense oligodeoxynucleotides effectively inhibit gene expression in vivo and offer a low-toxicity alternative to fully modified phosphorothioate oligodeoxynucleotides (47) 223
Hempel, F.G., see Kedar, V. (47) 87
Herbison, A.E., see Spratt, D.P. (47) 125
Heynen, T., see Xing, G. (47) 251
Hökfelt, T., see Corness, J.D. (47) 11
Hollen, K.M., Nakabeppu, Y. and Davies, S.W.
Changes in expression of ΔFosB and the Fos family proteins following NMDA receptor activation in the rat striatum (47) 31
Huang, X.-C., Shenoy, U.V., Richards, E.M. and Sumners, C.
Modulation of angiotensin II type 2 receptor mRNA in rat hypothalamus and brainstem neuronal cultures by growth factors (47) 229

Inturrisi, C., see Quiñones-Jenab, V. (47) 134
Inturrisi, C.E., see Jenab, S. (47) 44

Itoh, N., see Hattori, Y. (47) 139
Itoh, N., see Hattori, Y. (47) 262
Izquierdo-Claros, R.M., Boyano-Adánez, M.C., Larsson, C., Gustavsson, L. and Arilla, E.
Acute effects of $D_1$- and $D_2$-receptor agonist and antagonist drugs on somatostatin binding, inhibition of adenylyl cyclase activity and accumulation of inositol 1,4,5-trisphosphate in the rat striatum (47) 99
Izquierdo-Claros, R.M., see Muñoz-Acedo, G. (47) 117

Jen, A., see Rohan de Silva, H.A. (47) 147
Jen, L.-S., see Rohan de Silva, H.A. (47) 147
Jenab, S. and Inturrisi, C.E.
Activation of protein kinase A prevents the ethanol-induced up-regulation of δ-opioid receptor mRNA in NG108-15 cells (47) 44
Jenab, S., see Quiñones-Jenab, V. (47) 134

Kajiwara, K., Sugaya, E., Yuyama, N., Nagasawa, H., Tsuda, T., Sugaya, A., Motoki, M., Shimizu-Nishikawa, K. and Kimura, M.
Molecular mechanism of regulation of pentylenetetrazol-induced calcium entry by 3′-untranslated region of a seizure-related cDNA, PTZ-17, in *Xenopus* oocytes (47) 49
Kawamoto, S., Uchino, S., Xin, K.-Q., Hattori, S., Hamajima, K., Fukushima, J., Mishina, M. and Okuda, K.
Arginine-481 mutation abolishes ligand-binding of the AMPA-selective glutamate receptor channel $\alpha_1$-subunit (47) 339
Kedar, V., Freese, E. and Hempel, F.G.
Regulatory sequences for the transcription of the laminin B2 gene in astrocytes (47) 87
Keverne, E.B., see Mimmack, M.L. (47) 345
Kim, Y.-H., see Won, J.-S. (47) 303
Kimura, M., see Kajiwara, K. (47) 49
Konishi, M., see Hattori, Y. (47) 139

Larsson, C., see Izquierdo-Claros, R.M. (47) 99
Lavigne-Rebillard, M., see Soto-Prior, A. (47) 1
Lee, S., Williamson, J., Lothman, E.W., Szele, F.G., Chesselet, M.F., Von Hagen, S., Sapolsky, R.M., Mattson, M.P. and Christakos, S.
Early induction of mRNA for calbindin-$D_{28k}$ and BDNF but not NT-3 in rat hippocampus after kainic acid treatment (47) 183
Lenoir, M., see Soto-Prior, A. (47) 1

Levitt, P., see Zhang, J.-H. (47) 202
Li, X.-L., see Xing, G. (47) 251
Li, Y., McGivern, R.F., Nagahara, A.H. and Handa, R.J.
Alterations in the estrogen sensitivity of hypothalamic proenkephalin mRNA expression with age and prenatal exposure to alcohol (47) 215
Lindley, S.E., see Ebert, S.N. (47) 24
Lothman, E.W., see Lee, S. (47) 183
Lu, L. and Ordway, G.A.
Reduced expression of $\alpha_{2C}$-adrenoceptors in rat striatum following antisense oligodeoxynucleotide infusion (47) 267

Macq, A.F., see Czech, C. (47) 108
Makino, S., Takemura, T., Asaba, K., Nishiyama, M., Takao, T. and Hashimoto, K.
Differential regulation of type-1 and type-2 $\alpha$ corticotropin-releasing hormone receptor mRNA in the hypothalamic paraventricular nucleus of the rat (47) 170
Marracci, S., Cini, D. and Nardi, I.
Cloning and developmental expression of 5-$HT_{1A}$ receptor gene in *Xenopus laevis* (47) 67
Masos, T. and Miskin, R.
mRNAs encoding urokinase-type plasminogen activator and plasminogen activator inhibitor-1 are elevated in the mouse brain following kainate-mediated excitation (47) 157
Massi, M., see Pompei, P. (47) 78
Mattson, M.P., see Lee, S. (47) 183
Mazadier, M., see Czech, C. (47) 108
McEwen, B.S., see Salim, K.N. (47) 177
McGivern, R.F., see Li, Y. (47) 215
Meador-Woodruff, J.H., see Healy, D.J. (47) 331
Mercken, L., see Czech, C. (47) 108
Mikami, T., see Hattori, Y. (47) 262
Mimmack, M.L., Saito, H., Evans, G., Bresler, M., Keverne, E.B. and Emson, P.C.
A novel splice variant of the cell adhesion molecule BIG-2 is expressed in the olfactory and vomeronasal neuroepithelia (47) 345
Mishina, M., see Kawamoto, S. (47) 339
Miskin, R., see Masos, T. (47) 157
Miyake, A., see Hattori, Y. (47) 262
Motoki, M., see Kajiwara, K. (47) 49
Mulder, H., Zhang, Y., Danielsen, N. and Sundler, F.
Islet amyloid polypeptide and calcitonin gene-related peptide expression are down-regulated in dorsal root ganglia upon sciatic nerve transection (47) 322
Muñoz-Acedo, G., Izquierdo-Claros, R.M., Puebla, L., Rodríguez-Martín, E. and Arilla, E.
Influence of fluoxetine and *p*-chloroamphetamine on the somatostatin receptor–adenylyl cyclase system in the rat frontoparietal cortex (47) 117

Nagahara, A.H., see Li, Y. (47) 215
Nagasawa, H., see Kajiwara, K. (47) 49
Nakabeppu, Y., see Hollen, K.M. (47) 31
Nardi, I., see Marracci, S. (47) 67
Nieoullon, A., see Salin, P. (47) 311
Nishiyama, M., see Makino, S. (47) 170

Octave, J.-N., see Czech, C. (47) 108
Ogawa, S., see Quiñones-Jenab, V. (47) 134
Ohta, M., see Hattori, Y. (47) 262
Okuda, K., see Kawamoto, S. (47) 339
Ordway, G.A., see Lu, L. (47) 267

Patel, A.J., see Rohan de Silva, H.A. (47) 147
Pfaff, D.W., see Quiñones-Jenab, V. (47) 134
Pimenta, A.F., see Zhang, J.-H. (47) 202
Polidori, C., see Pompei, P. (47) 78
Pompei, P., Angeletti, S., Polidori, C., Ciccocioppo, R., De Caro, G. and Massi, M.
Regulation of preprotachykinin-A mRNA in genetic hypertensive and normotensive rats (47) 78
Post, R.M., see Xing, G. (47) 251
Pradier, L., see Czech, C. (47) 108
Puebla, L., see Muñoz-Acedo, G. (47) 117
Pujol, R., see Soto-Prior, A. (47) 1

Quiñones-Jenab, V., Jenab, S., Ogawa, S., Inturrisi, C. and Pfaff, D.W.
Estrogen regulation of $\mu$-opioid receptor mRNA in the forebrain of female rats (47) 134

Raisman-Vozari, R., see Salin, P. (47) 311
Ray, J., see Schinstine, M. (47) 195
Rebillard, G., see Soto-Prior, A. (47) 1
Rehn, L., see Seifert, G. (47) 286
Reibaud, M., see Czech, C. (47) 108
Richards, E.M., see Huang, X.-C. (47) 229
Ripoll, C., see Soto-Prior, A. (47) 1
Robertson, H.A., see Hebb, M.O. (47) 223
Rodríguez-Martín, E., see Muñoz-Acedo, G. (47) 117
Rohan de Silva, H.A., Jen, A., Wickenden, C., Jen, L.-S., Wilkinson, S.L. and Patel, A.J.
Cell-specific expression of $\beta$-amyloid precursor protein isoform mRNAs and proteins in neurons and astrocytes (47) 147
Rosenberg, P.A., see Wang, T.-F. (47) 295

Saito, H., see Mimmack, M.L. (47) 345
Salim, K.N., McEwen, B.S. and Chao, H.M.
Ginsenoside Rb1 regulates ChAT, NGF and trkA mRNA expression in the rat brain (47) 177
Salin, P., Dziewczapolski, G., Gershanik, O.S., Nieoullon, A. and Raisman-Vozari, R.
Differential regional effects of long-term L-DOPA treatment on preproenkephalin and preprotachykinin gene expression in the striatum of 6-hydroxydopamine-lesioned rat (47) 311
Sankaran, B., Clemens, J. and Haley, B.E.
A comparison of changes in nucleotide–protein interactions in the striatal, hippocampus and paramedian cortex after cerebral ischemia and reperfusion: correlations to regional vulnerability (47) 237
Sapolsky, R.M., see Lee, S. (47) 183
Schinstine, M., Ray, J. and Gage, F.H.
Potential effect of cytokines on transgene expression in primary fibroblasts implanted into the rat brain (47) 195
Schombert, B., see Czech, C. (47) 108
Seifert, G., Rehn, L., Weber, M. and Steinhäuser, C.
AMPA receptor subunits expressed by single astrocytes in the juvenile mouse hippocampus (47) 286
Shearman, L.P. and Weaver, D.R.
Haloperidol regulates neurotensin gene expression in striatum of c-*fos*-deficient mice (47) 275
Shenoy, U.V., see Huang, X.-C. (47) 229
Shimizu-Nishikawa, K., see Kajiwara, K. (47) 49
Smith, M.A., see Xing, G. (47) 251
Song, D.-K., see Won, J.-S. (47) 303
Soto, F., see Garcia-Guzman, M. (47) 59
Soto-Prior, A., Lavigne-Rebillard, M., Lenoir, M., Ripoll, C., Rebillard, G., Vago, P., Pujol, R. and Hamel, C.P.
Identification of preferentially expressed cochlear genes by systematic sequencing of a rat cochlea cDNA library (47) 1
Spratt, D.P. and Herbison, A.E.
Regulation of preoptic area gonadotrophin-releasing hormone (GnRH) mRNA expression by gonadal steroids in the long-term gonadectomized male rat (47) 125
Steinhäuser, C., see Seifert, G. (47) 286
Stühmer, W., see Garcia-Guzman, M. (47) 59
Sugaya, A., see Kajiwara, K. (47) 49
Sugaya, E., see Kajiwara, K. (47) 49
Suh, H.-W., see Won, J.-S. (47) 303
Sumners, C., see Huang, X.-C. (47) 229
Sundler, F., see Mulder, H. (47) 322
Szele, F.G., see Lee, S. (47) 183

Takao, T., see Makino, S. (47) 170
Takemura, T., see Makino, S. (47) 170
Theisen, M., see Czech, C. (47) 108
Touchet, N., see Czech, C. (47) 108
Tremp, G., see Czech, C. (47) 108
Tsuda, T., see Kajiwara, K. (47) 49

Uchino, S., see Kawamoto, S. (47) 339

Vago, P., see Soto-Prior, A. (47) 1
Von Hagen, S., see Lee, S. (47) 183

Wang, T.-F., Rosenberg, P.A. and Guidotti, G.
Characterization of brain ecto-apyrase: evidence for only one ecto-apyrase (CD39) gene (47) 295
Weaver, D.R., see Shearman, L.P. (47) 275
Weber, M., see Seifert, G. (47) 286
Weiss, S.R.B., see Xing, G. (47) 251
Wickenden, C., see Rohan de Silva, H.A. (47) 147
Wilkinson, S.L., see Rohan de Silva, H.A. (47) 147
Williamson, J., see Lee, S. (47) 183
Won, J.-S., Kim, Y.-H., Song, D.-K. and Suh, H.-W.
The effect of cycloheximide on the regulation of proenkephalin and prodynorphin gene expressions induced by kainic acid in rat hippocampus (47) 303
Wong, D.L., see Ebert, S.N. (47) 24

Xin, K.-Q., see Kawamoto, S. (47) 339
Xing, G., Zhang, L., Zhang, L., Heynen, T., Li, X.-L., Smith, M.A., Weiss, S.R.B., Feld-

man, A.N., Detera-Wadleigh, S., Chuang, D.-M. and Post, R.M.
Rat nurr1 is prominently expressed in perirhinal cortex, and differentially induced in the hippocampal dentate gyrus by electro-convulsive vs. kindled seizures (47) 251

Yamasaki, M., see Hattori, Y. (47) 139
Yuyama, N., see Kajiwara, K. (47) 49

Zhang, J.-H., Pimenta, A.F., Levitt, P. and Zhou, R.
Dynamic expression suggests multiple roles of the eph family receptor brain-specific kinase (Bsk) during mouse neurogenesis (47) 202
Zhang, L., see Xing, G. (47) 251
Zhang, L., see Xing, G. (47) 251
Zhang, Y., see Mulder, H. (47) 322
Zhou, R., see Zhang, J.-H. (47) 202